

The world's strongest floors.

high pressure floors.

high pressure floors.

For those 'making a strong impact' moments.

Our planet, our priority	4
Made in Norway	5
Floors for all spaces	6
Pick a size	8
Pick a surface	9
The Collection	
Original	11
Grand Avenue	16
Grand Majestic	21
Made for public spaces	24
Pick your accessories	28
Technical info	30



Strong moments. Beautiful moments.

The influence of Norway's majestic panorama can be felt in all BerryAlloc high pressure floors, crafted to deal with extremes. Incredibly tough yet exceptionally beautiful, our high pressure floors will help you create your picture-perfect room.

From breathtaking Nordic ravines to the buzzing streets of Paris, and everywhere in between: our designers have looked far and wide to create a collection to inspire new experiences.

Do you have a specific interior look in mind? There's a big chance you'll find what you're looking for here. With 74 decors spread over three different collections, you can choose between an extensive selection of wood, stone, or concrete. There are also several formats available, from standard size to extra-long and extra-wide.

At BerryAlloc, we prioritise high quality and design, because you deserve nothing less. Let happiness inside with our high pressure floors. After all, our floors are made for moments of joy. Carefree moments of joy.



Our planet, our priority.

At BerryAlloc, respecting the environment is one of our biggest priorities. As a company, we strive to use as little waste as possible. Products are strategically manufactured in Europe to reduce our carbon footprint. Our high pressure floors are PEFC-certified (Programme for the Endorsement of Forest Certification), supporting the promotion of Sustainable Forest Management. With an extremely low VOC (Volatile Organic Compound) emission, our floors are safe and healthy for people to install in their homes.





Every high pressure floor is made in Norway – a label we're proud to wear. Coming from the land of majestic nature, there's no doubt that our high pressure floors reflect the beauty and strength of Scandinavian design and technology. The entire creation process, from concept and design to manufacturing and packaging, takes place in our plant in Lyngdal, Norway, under the careful eye of our dedicated experts.

Floors for all spaces.

... and for all kinds of lifestyles, too. That's why our high pressure floors are tough. These premium quality floors will withstand all of life's daily challenges, whether you're dealing with high traffic in a commercial space or spending time at home with family, friends, and pets. Discover the main qualities that make these floors so long-lasting.



The strongest lock

One of a kind: our unique and patented aluminium locking system adds extra strength to these already solid floors. In fact, you don't even need to use an expansion profile for areas up to 15 x 15 m. Got a heavy-traffic commercial space? This is the floor for you.



Extremely impact resistant

Whoops, something heavy fell on the floor. No worries! The thick, high quality surface has a super-strong protection layer. It can withstand serious impact and still remain mark-free and undamaged.



Scratch resistant

An AC6 wear layer offers the highest protection available in this class. These floors are extremely scratch and stain-resistant, so completely suited for intense commercial traffic or a busy home life.



Easy to install

The strongest lock and the easiest installation system! Just push down the planks and our patented aluminium lock fixes the plank into place. Super simple and ready in no time.



Easy to maintain

Our high pressure floors require minimal effort and are very easy to clean. They will remain in pristine condition for years to come.



SilentSystem

With a sound-absorbing underlay attached underneath the floor board, noise is reduced by more than 19 decibels. Plus, the built-in underlay means you don't have to worry about choosing and installing a separate underlay. All-in-one for a smooth and simple installation.



Water resistant

Spilled something on the floor? Did the rain get inside? No problem. The robust water-resistant top layer protects both the surface and the bevels. The product core is fully water resistant as well.




Lifetime warranty

Rigorously tested for strength, water resistance, impact damage, fading and discolouration, as well as stability and wear, we wholeheartedly confirm that this floor meets the conditions of a lifetime warranty for residential use. Totally in love with your floor? You can even take it with you to your next home and re-use it there. Long-lasting and sustainable!



Pick a size.


Our Grand Majestic and Grand Avenue collections will undoubtedly make your room look even more grand with XL plank sizes. Or would you prefer a more standard size? Then the Original collection is what you're looking for.



198 × 1207 mm

low gloss concrete

A realistic and naturallooking matt surface to enhance our stone and concrete designs.



Something for everyone.

29

10

Original Limestone Sand (hallway) Original White Pine (kitchen)

A THE

This is Original.

Original – the collection that started the legacy of our BerryAlloc high pressure floors, and the most accessible way to enjoy their world-class strength.

With its 44 decors, this collection will take you on a global adventure in style. Find your favourite colour amongst various wood and stone designs. Looking for a shipdeck pattern? Or a sleek, concrete look? Our Original collection has it all, bringing a unique look and authentic feel to busy homes and businesses.



/ original.





Voss Oak 2 bevels wood structure oiled touch 62002007



Light Oak 2 bevels wood structure

oiled touch 62001355



Beach Oak 4 bevels wood structure oiled touch 62002120



White Pine 4 bevels wood structure oiled touch 62001354



Blonde Oak no bevels wood structure oiled touch 62002137

Golden Oak

oiled touch 62002129

wood structure

4 bevels

Barrel Oak 4 bevels wood structure oiled touch 62002134



2 bevels wood structure 62001420

Butterscotch Oak 2 bevels wood structure oiled touch 62002122

Bond Oak 2 bevels wood structure oiled touch 62001380



Dune Oak 2 bevels wood structure oiled touch 62002121



Spring Oak 2 bevels wood structure

oiled touch 62001357 Elegant Natural Oak 2 bevels wood structure oiled touch 62001238



Amber Oak no bevels wood structure oiled touch 62002128



Canyon Light Oak 2 bevels wood structure oiled touch 62001358





Chicago Elm 2 bevels wood structure oiled touch 62001361



extreme scratch & impact resistant



water resistant



Oslo Oak 2 bevels wood structure oiled touch 62001382



Indian Summer Oak 2 bevels wood structure oiled touch 62002123



Vintage Oak 4 bevels wood structure oiled touch 62002135



Copenhagen Oak 2 bevels wood structure oiled touch 62002005



Grey Wash Oak 2 bevels wood structure oiled touch 62002125



Elegant Soft Grey Oak 2 bevels oiled touch 62001352

/ original.



Pecan Oak 2 bevels wood structure oiled touch 62002124



4 bevels wood structure

White Oak 2 str

no bevels oiled touch

62001384

oiled touch 62002136



2 bevels wood structure



Manhattan Oak oiled touch 62001360



no bevels wood structure



New Age Walnut



Silver Oak 2 str no bevels wood structure oiled touch 62001397

Natural Oak 2 str

no bevels wood structure oiled touch 62001391



Limestone Sand 20 x 40 cm low gloss concrete 62002132

Limestone Grey 20 x 40 cm low gloss concrete 62002131

Blackstone 20 x 40 cm low gloss concrete 62002130



Smoked Oak 2 str no bevels wood structure oiled touch 62001390



Skagen Oak 2 Str no bevels oiled touch 62001385



White Oiled Ash 3 str no bevels oiled touch 62001394





Classical Oak 3 str

no bevels wood structure

62002139



Hasta La Vista no bevels brushed 62001404



Light Oak Shipdeck shipdeck wood structure oiled touch 62001356

shipdeck

oiled touch 62001396

wood structure



Bergen Oak Shipdeck shipdeck wood structure oiled touch 62002013



Dolomites no bevels low gloss concrete 62002142



Himalaya no bevels low gloss concrete 62002143



Atlas no bevels low gloss concrete 62002141



Oiled Teak Shipdeck 2 str shipdeck oiled touch 62001393

Find your dream floor.

This is Grand Avenue.

With spectacular extra-long planks of 2,4 metres, Grand Avenue evokes a wonderful feeling of space in any room.

A world of twenty-two different wood decors awaits you. Echoing the iconic boulevards of global city destinations, Grand Avenue sets the tone for a refined ambience. You'll find a style that's sure to delight, in a size that's made to impress.

Bring the world into your living room and walk the star-studded global promenades every day with this first-class collection.



Grand Avenue Broadway

Inspired by the world's most iconic boulevards.



Grand Avenue Via Monte

/ grand avenue.

La Rambla 4 bevels wood structure oiled touch 62000578



oiled touch 62001044



Maiden Lane 4 bevels wood structure 62001964



Nyhavn 4 bevels wood structure oiled touch 62002014



Madison Avenue 4 bevels wood structure 62000568



Wall Street 4 bevels wood structure oiled touch 62001959

AluLoc

Leninsky Prospekt 4 bevels wood structure oiled touch 62001961



extreme scratch & impact resistant





Rodeo Drive 4 bevels wood structure oiled touch 62000566

Ku'Damm 4 bevels wood structure oiled touch 62000562



Royal Mile 4 bevels wood structure oiled touch 62002015



Penny Lane

oiled touch 62000565

4 bevels wood structure

Champs Elysées 4 bevels wood structure oiled touch 62000559



La Fayette 4 bevels wood structure 62000969



Via Monte 4 bevels wood structure oiled touch 62001963



Sunset Boulevard 4 bevels wood structure oiled touch 62000561

What's your colour?



Abbey Road 4 bevels wood structure oiled touch 62001960



water resistant



extra long



Potsdamer 4 bevels wood structure 62001023



Ventura Boulevard 4 bevels wood structure oiled touch 62002144



Via Veneto 4 bevels wood structure oiled touch 62000567




Embassy Row 4 bevels wood structure oiled touch 62001084



Ginza 4 bevels wood structure oiled touch 62001962



Broadway 4 bevels wood structure oiled touch 62000563



This is Grand Majestic.

The name of this collection says it all: awe-inspiring sizes and supreme quality.

With its 2,4 metres long and 30 cm wide planks, Grand Majestic creates a wonderful feeling of open space. The eight different decors capture realistic wood structures and beautiful designs, topped off with a glamorous oil finish.

This collection fully captures the calming influence of nature with the strength to handle everything life throws at it.



/ grand majestic.



Etna Dark Brown 4 bevels wood structure oiled touch 62001988





Etna Light Brown 4 bevels wood structure oiled touch 62001986



Etna Grey 4 bevels wood structure oiled touch 62002127



Katla Natural Honey 4 bevels wood structure oiled touch 62001991

Katla Nordic

4 bevels wood structure oiled touch 62002107



Katla Natural 4 bevels wood structure oiled touch 62001990



Katla Arctic 4 bevels wood structure oiled touch 62002108 AluLoc



scratch & impact resistant






extra long



extra wide

Made for public spaces.

There is no floor more suitable for public spaces than the world's strongest floor. The unique qualities of a high pressure floor allows it to withstand intense traffic while remaining in tip-top shape. Discover the floors that work best in this setting: they're ready to take on restaurants, hotels, shopping malls... even airport terminals!



/ original.



Classical Oak 3 str no bevels wood structure

62002139



Berlin Oak

wood structure

2 bevels

62001420

Blackstone

20 x 40 cm

low gloss concrete 62002130

New Age Walnut no bevels wood structure 62002126



Limestone Sand 20 x 40 cm low gloss concrete 62002132

Himalaya

no bevels

62002143



Limestone Grey 20 x 40 cm low gloss concrete 62002131



Dolomites no bevels low gloss concrete 62002142



low gloss concrete



Atlas no bevels low gloss concrete 62002141

/ grand avenue.







Maiden Lane 4 bevels wood structure 62001964

La Fayette 4 bevels wood structure 62000969

Potsdamer 4 bevels wood structure 62001023

With over one million passengers visiting the airport, we needed a strong floor in our travel lounge. After three years, our high pressure floor still looks completely new, with no damage whatsoever.

Good journey Dobra pa

Buen viaje

Bran

Gute reise

Goede reis

– Arne Johan Johnsen Airport Managing Director KRISTIANSAND LUFTHAVN, KJEVIK



Madison Avenue 4 bevels wood structure 62000568

Made for public spaces.

Our sustainability certifications

Our high pressure floors carry a number of sustainability certifications. Discover them below.

Environmental Product Declaration (EPD)

A product-specific EPD in accordance with the ISO 14025 and EN 15804. The EPD declaration number is EPD-BAC-20150179-CBA1-EN.

BREEAM INTERNATIONAL

High Pressure Floors contribute by earning up to 17 BREEAM credits in 5 different categories.

Nordic Ecolabelling Portal

The Grand Majestic, Grand Avenue, and Original products are listed in the construction material database used for buildings with the Nordic Swan Ecolabel.

PEFC

All our wood is sourced from sustainably managed forests (PEFC Certified) that meet the strictest environmental, social, and economic requirements.

M1

Granted by the Building Information Foundation RTS sr.

Other certifications

CE, REACH, ISO 9001 (quality management), ISO 14001 (environmental management), fire resistance class Bfl-s1, phthalate-free.




Did you know?

Our high pressure floors have an AC6 overlay, which makes them very resistant against wear and tear.



Pioneering technology

In 1996, our HPF plant revolutionised the flooring industry with the first glue-free locking system. The supreme technology is a key reason why these floors are ideal for commercial use.





Reference list

reference	location	collection	m²
Premium Apple dealers*	worldwide	Original	5000 m²
Volkswagen*	worldwide	Original	80 000 m ²
Heathrow Airport	London, UK	Original	180 m²
AC Bella Sky Hotel	Copenhagen, Denmark	Original	10 000 m ²
Crowne Plaza Hotels	Istanbul, Turkey	Original	6000 m ²
Caresse Resort & Spa	Bodrum, Turkey	Original	5000 m ²
Kjevik Airport Kristiansand	Kjevik, Norway	Grand Avenue	200 m ²
Madrid Airport	Madrid, Spain	Original	900 m ²
Sandton Hotel Ghent	Belgium	Original	1000 m ²
Emerald Harmony Cruise Ship	Vietnam	Grand Avenue	1 551 m²
Riviera Marriott Hotel	Monaco, France	Original	2000 m ²

(*) in a selected number of shops worldwide



Pick your accessories.

100% matching skirtings & T-profiles



60 mm matching skirting Creates a perfectly matched wall finish. Installation: nail, glue, or clips. 2400 x 14 x 60 mm (L x W x H)



T-profile, matching

Matching transition profile between two floors of the same height. Adjustable to heights of 9 - 13 mm. Suitable for all our high pressure floors. 2400 x 44 mm (L x W)



Skirting clips

Easily install and remove skirtings without damaging your walls. Perfect for when you want to redecorate.

Aluminium silver technical profiles



Alu reducer profile

Ensures a seamless connection between floors of different heights or types (tiles, carpet, etc.). Adjustable to floors of heights 7 – 12,3 mm. 2000 x 46 x 11,7 mm (L x W x H)



Alu T-profile

Seamlessly connects two floors and hides expansion gaps. Adjustable to floors of heights 7 – 12,3 mm. 2000 x 31,5 mm (L x W)



Alu end profile

A neat finish for the edges of your high pressure floor. Adjustable to floors of heights 7 - 12,3 mm. 2000 x 20 x 7 - 12,3 mm (L x W x H)



Stairnose

Fits all BerryAlloc floors with a thickness between 7 – 14 mm. It is perfectly adapted to our high-tech locking system, and is mounted with overlap on our other floors. Available in two lengths: 1 metre and 2,4 metres.

Installation & maintenance products



Cleaner Ultra

The ideal cleaning product to maintain your high pressure floor. This antibacterial high pressure floors cleaner is suitable for first-time maintenance and regular use. Rinsing is not necessary. 1 litre.



on the final plank of each row.



Tapping Block

Used to install the BerryAlloc Original floors (HighTech Loc). Helps avoid damage to the locking system.



Fillertwine

A base for sealant. Use Fillertwine to fill in all the gaps in the expansion joints to allow the floor to shrink and expand.

Moisture barrier underlay

The moisture barrier underlay must always be used when installing BerryAlloc high pressure floors on top of PVC, linoleum, ceramic tiles, cement, and concrete surfaces.

Clickguard

Secures the floorboards with mechanical locking systems against excess water.




The spacer blocks help maintain the correct distance between walls and floor during installation. The metal pull bar simplifies installation

Technical info.

Grand Avenue	Grand Majestic
AluLoc	AluLoc
class 23	class 23
class 34/AC6	class 34/AC6
lifetime	lifetime
10 years	10 years
2410 x 241 mm	2410 x 303 mm
System) 12,3 mm (incl. SilentSy	ystem) 12,3 mm (incl. SilentSystem)
n² – 16,7 kg 4 planks – 2,3232 m² –	- 23,8 kg 3 planks – 2,1907 m² – 22,3 kg
m ² – 622 kg 39 boxes – 90,61 m ² –	959 kg 42 boxes – 92,01 m² – 977 kg
	class 23 class 34/AC6 lifetime 10 years 2410 x 241 mm :System) 12,3 mm (incl. SilentSy n ² - 16,7 kg 4 planks - 2,3232 m ² -

Please refer to our website for the full technical data sheet: **www.berryalloc.com**





Grand Avenue Leninsky Prospekt



relax, it's BerryAlloc



Alloc AS Fiboveien 26 4580 Lyngdal, Norway T 38 34 22 00 info@berryalloc.com

berryalloc.com